

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

R. W. SCHUMACHER

HORTICULTURIST -- TREE SEEDS

P.O. B. 131

JAMAICA PLAIN 30, MASS.



SEEDS for the NURSERYMAN and FORESTER --

FALL 1946


PRELIMINARY OFFER

For fall and early winter delivery. Final listing of all seeds available from new crops will follow in our general catalogue.

	oz.	1/4 lb.	lb.
ABIES amabilis	.55	\$1.65	\$5.00
balsamea	.40	1.20	3.50
concolor, California	.35	1.00	3.00
grandis	.55	1.65	5.00
lasiocarpa	.50	1.50	4.50
magnifica	.50	1.50	4.50
" shastensis	.50	1.50	4.50
ACACIA baileyana	.45	1.50	
decurrans	.35	1.25	
" mollis	.65	1.95	
melanoxyylon	.40	1.50	
podalyriaefolia	.75	2.85	
ACER campestre, domestic	.30	.85	2.50
ginnala	.30	.85	2.50
negundo		.35	1.00
pennsylvanicum	.30	.85	2.50
saccarum	.20	.50	1.50
AILANTHUS glandulosa		.35	1.00
ALBIZZIA julibrissin	.25	.70	2.10
ALNUS incana	.35	1.00	3.00
rugosa	.25	.65	2.00
AMELANCHIER alnifolia	.25	.65	2.00
canadensis	.45	1.35	4.00
grandiflora	.65	2.00	
laevis	.65	2.00	
stolonifera	.65	2.00	
AMORPHA fruticosa	.20	.50	1.50
AMPELOPSIS aconitifolia	.65	2.00	
heterophylla	.65	2.00	
quinquefolia, clean	.30	.85	2.50
tricuspidata, clean	.50	1.50	4.50
ARALIA hispida	.65	2.00	
spinosa, clean	.50	1.50	4.50



F. W. SCHUMACHER	oz.	1/4 lb.	lb.
ARCTOSTAPHYLOS uva-ursi, clean	.50	1.50	4.50
ARONIA arbutifolia	.25	.65	2.00
atropurpurea	.25	.65	2.00
melanocarpa	.20	.60	1.75
ASIMINA triloba	.25	.65	2.00
AZALEA arborescens, N.E.	1/4 oz. .75		
calendulacea, N.E.	1/4 oz. .50	2.00	
Ghent Hybrids	1/4 oz. 3.00		
kaempferi	1/4 oz. 3.00		
mollis	1/4 oz. .75	2.85	
mucronulata	1/16 oz. 2.00		
poukhanensis	1/4 oz. 3.00		
rosea	1/4 oz. 2.00		
schlippenbachi	1/4 oz. .75	2.25	
vaseyi	1/4 oz. .50	1.75	
BENZOIN aestivale	.20	.50	1.50
BERBERIS thunbergi, clean	.40	1.20	3.60
" atropurpurea, domestic,			
dried berries	1.00	3.00	
BETULA alba (odorata or pubescens)	.25	.65	2.00
" pendula	.25	.65	2.00
lenta	.25	.75	2.25
lutea	.25	.75	2.25
papyrifera	.35	1.00	3.00
populifolia	.35	1.00	3.00
BIGNONIA radicans	.35	1.00	3.00
CALYCANTHUS floridus	.20	.50	1.50
CARAGANA arborescens	.25	.65	2.00
CARPINUS caroliniana	.25	.75	2.25
CASTANEA dentata x sativa	.20	.50	1.50
crenata	.20	.50	1.50
sativa	.15	.35	1.00
CATALPA bignonioides	.15	.40	1.25
speciosa	.20	.60	1.75
CEANOOTHUS americanus	.30	.80	2.50
CELASTRUS orbiculatus, clean	.30	.90	2.75
scandens, clean	.50	1.50	4.50
CELTIS mississippiensis	.15	.40	1.25
occidentalis	.15	.35	1.00
CEPHALANTHUS occidentalis	.15	.40	1.25
CERATONIA siliqua	.25	.75	2.25
CERCIDiphyllum japonicum	1.50		
CERCIS canadensis	.25	.65	2.00
CHAMAECYPARIS lawsoniana	.40	1.15	3.50
" aurea, domestic seed	.85	2.50	
" from various garden			
forms, domestic seed	.85	2.50	
CHIONANTHUS virginica, D.B.	.35	1.00	3.00
CINNAMOMUM camphora	.40	1.15	3.50
CITRUS trifoliata	.25	.65	2.00
CLADRASTIS lutea	.35	1.00	3.00
CLEMATIS virginiana	.50	1.50	4.50
CLETHRA alnifolia	.25	.75	2.25




F. W. SCHUMACHER

	oz.	1/4 lb.	lb.
CORNUS alternifolia	.30	.85	2.50
amomum	.20	.50	1.50
florida, Central States, clean	.20	.55	1.65
" New England, clean	.25	.65	2.00
" Southern seed, clean	.20	.50	1.50
" from Red Flowered specimens	.15	.45	1.35
mas	.20	.60	1.75
paniculata	.15	.35	1.25
rugosa, clean	.25	.70	2.25
stolonifera	.15	.35	1.25
" flaviramea (lutea)	.35	1.00	3.00
CORYLUS americana	.15	.35	1.25
avellana	.15	.25	.65
" atropurpurea	.25	.65	2.00
CONTONEASTER acutifolia, clean	.65	2.00	
bullata floribunda	.50	2.00	
dielsiana major	.45	1.25	3.75
divaricata, clean	.35	1.00	3.00
foveolata, clean	.50	2.00	
horizontalis, clean	.40	1.25	
integerrima	.50	2.00	
microphylla, clean	.60	2.40	
moupinensis, clean	.50	1.50	
zabeli	.50		
CRATAEGUS arkansana	.30	.80	2.50
arnoldiana, clean	.45	1.35	4.00
coccinea, clean	.45	1.35	4.00
coccinoides, clean	.20	.50	1.50
cordata (phaenopyrum), clean	.35	1.10	3.25
crusgalli, clean	.35	1.00	3.00
mollis, clean	.30	.80	2.50
nitida, clean	.45	1.35	4.00
oxyacantha, clean	.25	.55	1.75
pyracantha monogyna, clean	.25	.55	1.65
prunifolia, clean	.30	.85	2.75
punctata, clean	.35	1.00	3.00
tomentosa	.25	.55	1.75
CUPRESSUS arizonica	.35	1.00	3.00
lusitanica	.35	1.00	3.00
macrocarpa	.50	1.50	4.50
" from garden specimens	.65	2.00	6.00
CYDONIA japonica	.45	1.30	3.85
" pygmaea	.45	1.35	4.00
CYTISUS nigricans, New England seed	1/4 oz. .85	2.50	
scoparius	.30	.80	2.50
supinus	1.00	3.00	
DIOSPYROS kaki	.45	1.25	3.75
virginiana	.15	.35	1.00
" northern	.20	.50	1.50




F. W. SCHUMACHER

	oz.	1/4 lb.	lb.
ELEAGNUS angustifolia, clean	.25	.60	2.00
argentea, clean	.25	.60	2.00
longipes	.55	1.65	5.00
ENKIANTHUS campanulatus	1/4 oz. .65	2.00	
EUCALYPTUS globulus	.70	2.25	6.75
EUONYMUS americanus	.25	.70	2.10
atropurpureus	.20	.50	1.75
bungeanus	.20	.50	1.75
europaeus, clean	.30	.80	2.40
yedoensis, clean	.30	.85	2.50
FIRMIANA simplex	.35	1.00	3.00
FRAXINUS americana		.25	.70
excelsior		.25	.65
GINKGO biloba	.15	.35	1.00
GLEBITSIA triacanthos	.15	.35	1.00
" inermis	.15	.45	1.25
HALESIA monticola	.30	.85	2.50
tetraptera	.20	.50	1.50
HAMAMELIS vernalis (tall form) from			
garden specimens	1.00	3.00	
" tomentella (bush			
type)	1.50		
virginiana	.35	1.00	3.00
HIBISCUS syriacus	.30	.90	2.75
HICORIA alba			.25
cordiformis			.25
glabra			.25
laciniosa			.25
ovata			.25
pecan, Northern Naturals			.65
" large fruited Papershells			.80
ILEX aquifolium	.35	1.00	3.00
glabra	.30	.75	2.25
opaca	.35	1.00	3.00
verticillata	.25	.65	2.00
" clean	.45	1.35	4.00
JUGLANS californica			
" hindsi		.20	.50
cinerea			.25
nigra, from wild trees			.25
" from named orchard varieties			.40
regia			.75
JUNIPERUS communis depressa	.25	.65	2.00
" montana	.20	.50	1.50
horizontalis	.25	.65	2.00
scopulorum	.15	.30	.95
" clean	.45	1.30	4.00
virginiana, Southern	.20	.60	1.75
" Platte River	.20	.60	1.75
" " clean	.45	1.30	4.00



F. W. SCHUMACHER

		oz.	1/4 lb.	lb.
KALMIA angustifolia	1/4 oz. 1.75			
latifolia, New England seed	1/4 oz. .45	1.25		
KOELREUTERIA paniculata		.30	.80	2.50
KOLKWITZIA amabilis		.85	2.50	
LABURNUM vulgare		.30	.90	2.75
LARIX europaea		.65	2.00	6.00
occidentalis		.95	3.00	9.00
LEUCOTHOE catesbaei, New England seed	1/4 oz. .45	1.25		
LIGUSTRUM amurense		.20	.50	1.50
ibota		.15	.45	1.25
japonicum		.20	.50	1.50
lucidum		.20	.50	1.50
nepalense		.20	.60	1.75
sinensis ("South" Privet)		.20	.60	1.75
vulgare, clean		.35	1.00	3.00
LIQUIDAMBER styraciflua		.45	1.45	4.25
LIRIODENDRON tulipifera		.15	.45	1.25
LONICERA maacki, clean		.50	1.50	
morrowi		.65	1.80	
ruprechtiana		.65	1.80	
tatarica zabeli		1.25		
MACLURA pomifera			.40	1.25
MAGNOLIA acuminata		.30	.85	2.50
glauca		.30	.90	2.75
grandiflora		.20	.60	1.75
soulangeana	1.00		3.00	
stellata	1.00		3.00	
MAHONIA aquifolium		.30	.90	2.75
nervosa				5.00
MALUS baccata, dried pomes		.25	.65	2.00
coronaria, clean		.65	2.00	6.00
common, Apple for stock-French				
Cider Crab			.75	2.25
sargentii, dried pomes		.25	.65	2.00
theifera, dried pomes		.30	.80	2.50
MORUS alba tatarica		.40	1.50	4.50
MYRICA caroliniensis		.20	.50	1.50
NANDINA domestica		.30	.80	2.50
NYSSA aquatica		.15	.40	1.25
sylvatica, northern		.15	.40	1.25
" southern		.15	.40	1.25
PAEONIA suffruticosa (arborea or moutan)				
10 seeds .40 100 seeds 3.50				
PAULOWNIA tomentosa		.35	1.00	3.00
PASSIFLORA incarnata		.50	1.50	4.50
PHILADELPHUS coronarius		.65	2.00	
" garden varieties				
1/4 oz. .50				
grandiflorus		.80	2.50	




F. W. SCHUMACHER

	oz.	1/4 lb.	lb.
PHILADELPHUS (cont.)			
pubescens	1.00	3.00	
purpurascens	.50	1.50	
PICEA canadensis (alba or glauca)	.85	2.65	8.00
" albertiana	1.25	4.00	12.00
" Black Hills Variety	1.15	3.35	10.00
engelmanni glauca	.65	2.00	6.00
excelsa, Northern Europe	.65	2.00	6.00
" Western Europe	.80	2.50	7.50
nigra (mariana)	1.10	3.35	10.00
pungens	.80	2.50	7.50
" glauca	.95	3.00	9.00
PIERIS floribunda, New England seed			
1/4 oz. .50	2.00		
PINUS albicaulis	.35	1.00	3.00
caribaea	.40	1.25	3.75
contorta	.70	2.15	6.50
" latifolia	.65	2.00	6.00
densiflora	.80	2.50	
echinata	.80	2.50	7.50
flexilis	.40	1.20	3.50
jeffreyi	.35	1.00	3.00
lambertiana	.45	1.50	4.00
montana (mugus)	.40	1.20	3.50
" gallica	.70	2.20	6.50
" uncinata	.50	1.50	4.50
monticola	.65	2.00	6.00
nigra (winter délivery)	.65	2.00	6.00
palustris	.30	.85	2.50
peuce	1.10	3.50	10.50
ponderosa, Giant Pacific Coast			
race-Timber strain	.40	1.15	3.50
ponderosa, Rocky Mountain origins	.35	1.00	3.00
" scopulorum	.35	1.00	3.00
radiata	.40	1.30	3.75
strobos	.35	1.00	3.00
sylvestris, Southern Scandinavia	.95	3.00	9.00
taeda	.55	1.60	4.75
PLATANUS occidentalis	.15	.35	1.00
orientalis	.15	.45	1.25
PRUNUS americana, clean	.15	.45	1.25
armeniaca, clean (Apricot)			
avium, clean, Mazzard	.20	.60	1.80
" Sweet Cherry			
caroliniana	.15	.45	1.25
cerasifera, clean	.20	.60	1.75
demissa melanocarpa	.25	.65	2.00
mahaleb, clean	.30	.85	2.50
maritima	.25	.65	2.00
melanocarpa	.15	.40	1.15
nigra, clean	.30	1.00	3.00



F. W. SCHUMACHER

		oz.	1/4 lb.	1 lb.
PRUNUS (cont.)				
	pennsylvanica, clean	.25	.65	2.00
	salicina (triflora) from cultivated varieties		.35	1.00
	serotina	.15	.40	1.25
	spinosa, clean	.25	.65	2.00
PSEUDOTSUGA douglasii, Rocky Mountain origins		.75	2.50	7.50
" caesia		.55	1.65	5.00
QUERCUS bicolor				.50
coccinea				.50
rubra (borealis maximum)				.25
" ambigua (borealis)				.25
palustris				.30
RHAMNUS cathartica		.25	.75	2.25
dahurica, clean		.80	2.50	
frangula, clean		.35	1.00	3.00
RHODODENDRON carolinianum, New England				
	1/4 oz. .75	2.25		
catawbiense, New England				
	1/4 oz. 1.00	3.00		
" hybrids, New England				
	1/4 oz. 1.50			
maximum, New England				
	1/4 oz. .50	1.50		
RHUS canadensis(aromatica) clean		.30	.75	2.25
copallina		.25	.60	2.00
cotinus (Winter delivery)		.45	1.35	4.00
glabra		.15	.35	1.00
trilobata, clean		.30	.80	2.50
typhina		.15	.35	1.00
ROSA blanda		.20	.50	1.50
canina, clean		.25	.60	2.00
humilis		.20	.60	1.75
lucida (virginiana)		.20	.60	1.75
palustris		.30	.80	2.50
rubiginosa, clean		.30	.80	2.50
rugosa		.30	.80	2.50
setigera, dried hips		.20	.50	1.50
" clean		.40	1.20	3.50
wichuraiana, clean		.40	1.20	3.50
SAMBUCUS canadensis, clean		.25	.60	2.00
SORBUS americana		.30	.80	2.50
aucuparia		.15	.45	1.35
STAPHYLEA trifolia		.25	.65	2.00
STYRAX americana		.25	.65	2.00
SYRINGA amurensis		.80	2.50	7.50
japonica		.80	2.50	7.50
josikala		1.00	3.00	
villosa		.65	2.00	
vulgaris		.65	2.00	6.00



F. W. SCHUMACHER

	oz.	1/4 lb.	lb.
TAXODIUM distichum	.20	.50	1.50
TAXUS cuspidata	1.10	3.50	10.00
THUJA orientalis	.35	1.00	3.00
" aurea conspicua	.40	1.20	3.50
" " nana	.45	1.35	4.00
plicata	.90	2.80	8.50
TILIA americana	.20	.50	1.50
TSUGA heterophylla	1.10	3.50	10.00
ULMUS pumila	.25	.65	2.00
VACCINIUM corymbosum	.40	1.20	3.50
" from large fruited cultivated named varieties	.65	2.00	6.00
VIBURNUM acerifolium	.25	.65	2.00
americanum	.30	.80	2.50
" clean	.45	1.35	4.00
cassinoides	.35	1.00	3.00
dentatum	.25	.65	2.00
" clean	.45	1.50	4.50
lentago	.25	.65	2.00
" clean	.45	1.35	4.00
molle	.35	1.00	3.00
nudum	.30	.80	2.50
opus, clean	.45	1.35	4.00
prunifolium	.20	.50	1.50
" clean	.35	1.10	3.25
sargentii	.30	.85	2.75
" clean	.45	1.40	4.25
sieboldii	.65	2.00	6.00
wrightii	.35	1.00	3.00
VITIS aestivalis	.30	.80	2.50
cordifolia	.30	.80	2.50
labrusca	.30	.80	2.50
riparia (odoratissima)	.35	1.00	3.00
XANTHOCERAS sorbifolium	100 seeds \$1.85		
	1000 "	15.00	

TERMS:- as per our general catalogue. Prices as quoted cancel previous listings.

1946 crops are disappointing in many ways, Colorado, Pacific Coast and Northeastern crops in forest seeds failed or are extremely short.

There will be little, if any, new crop seed of Arborvitae, Colorado Concolor Fir, Colorado Douglas, and Hemlocks.

Red Pine must be considered a total failure.

